

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : VIRKON S

Product code : 000000000057747484

UFI : F9R6-90FA-K00C-SG30

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Disinfectants

#### 1.3 Details of the supplier of the safety data sheet

Company : Antec International Limited  
Windham Road  
CO10 2XD Sudbury / Suffolk  
Chilton Industrial Estate, Great Britain

Responsible Department : +49 221 8885 2288  
infosds@lanxess.com

#### 1.4 Emergency telephone number

Emergency telephone number : For 24/7 multilingual emergency please call  
CHEMTREC EMEA: +44 20 3885 0382 and mention CCN  
1001748.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

:

### Prevention:

P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

pentapotassium bis(peroxymonosulphate) bis(sulphate)  
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts  
potassium hydrogensulphate

### Additional Labelling

EUH208 Contains dipotassium peroxodisulphate, dipentene. May produce an allergic reaction.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version 3.1      Revision Date: 25.07.2022      SDS Number: 203000015339      Date of last issue: 28.06.2022  
Country / Language: IS / 6N (EN)

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8 274-778-7 01-2119485567-22	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412  Acute toxicity estimate  Acute oral toxicity: 500 mg/kg	>= 30 - < 50
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412  Acute toxicity estimate  Acute oral toxicity: 1.080 mg/kg	>= 10 - < 20
malic acid	6915-15-7 230-022-8 01-2119906954-31	Eye Irrit. 2; H319	>= 1 - < 10
sulphamidic acid	5329-14-6 226-218-8 016-026-00-0 01-2119488633-28	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10
potassium hydrogensulphate	7646-93-7 231-594-1 016-056-00-4	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 1 - < 3
sodium toluenesulphonate	12068-03-0	Skin Irrit. 2; H315	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version 3.1      Revision Date: 25.07.2022      SDS Number: 203000015339      Date of last issue: 28.06.2022  
Country / Language: IS / 6N (EN)

	235-088-1	Eye Irrit. 2; H319	
dipotassium peroxodisulphate	7727-21-1 231-781-8 016-061-00-1 01-2119495676-19	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)  Acute toxicity estimate  Acute oral toxicity: 700 mg/kg	>= 0,1 - < 1
dipentene	138-86-3 205-341-0 601-029-00-7 01-2120766421-57	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.  
Causes serious eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Sulphur oxides  
Metal oxides  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Protect from moisture.  
  
Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect from moisture. Keep away from: Combustible substances Strong bases

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : Keep away from alkalis.

Recommended storage temperature : < 50 °C

Further information on storage stability : Keep in a dry place.

Stable under recommended storage conditions.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dipotassium peroxodisulphate	7727-21-1	TWA	2 mg/m <sup>3</sup>	IS OEL

### 8.2 Exposure controls

#### Engineering measures

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : Butyl rubber - IIR  
Wearing time : < 60 min

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Skin and body protection : Wear suitable protective clothing.  
Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Recommended Filter type:

ABEK-P2-filter

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: powder
Physical state	: solid
Colour	: pink
Odour	: pleasant, sweet
Odour Threshold	: No data available not determined
Melting point/range	: No data available Biocides Authorization not required
Boiling point/boiling range	: No data available Biocides Authorization not required
Flammability	: The product is not flammable.
Upper explosion limit / Upper flammability limit	: Not applicable Solid
Lower explosion limit / Lower flammability limit	: Not applicable Solid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Flash point : Not applicable, Solid

Ignition temperature : Not applicable  
Solid

Decomposition temperature : > 50 °C

pH : 2,35 - 2,65  
Concentration: 1 %

Viscosity  
Viscosity, dynamic : Not applicable  
Solid

Viscosity, kinematic : Not applicable  
Solid

Solubility(ies)  
Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : Not applicable  
Preparation

Vapour pressure : No data available  
Biocides Authorization  
not required

Relative density : 1,07

Density : 1,07 g/cm<sup>3</sup> (20 °C)

Relative vapour density : Not applicable  
Solid

Particle characteristics  
Particle Size Distribution : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Regulation (EC) No. 440/2008, Annex, A.17

Flammable solids  
Burning number : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Self-ignition	:	No data available
Evaporation rate	:	No data available Biocides Authorization not required
Miscibility with water	:	No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur. Dust may form explosive mixture in air.
---------------------	---	--

#### 10.4 Conditions to avoid

Conditions to avoid	:	Exposure to moisture
---------------------	---	----------------------

#### 10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids. Combustible material Oxidizing agents Strong bases brass Cyanides Copper Halogenated compounds Metal salt.
--------------------	---	---

#### 10.6 Hazardous decomposition products

Hazardous decomposition products	:	Oxygen Chlorine Sulphur oxides Hypochlorites
----------------------------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Not classified based on available information.

##### Product:

- Acute oral toxicity : LD50 (Rat, male and female): 4.123 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): 3,7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.
- Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

##### Components:

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

- Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg  
Method: OECD Test Guideline 423  
  
Acute toxicity estimate: 500 mg/kg  
Method: Calculation method
- Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest producible concentration.
- Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

- Acute oral toxicity : LD50 (Rat, male and female): 1.080 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Method: OECD Test Guideline 401  
GLP: no

Acute toxicity estimate: 1.080 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Dosage caused no mortality

### malic acid:

Acute oral toxicity : LD50 (Rat, male and female): 3.500 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : LC0 (Rat, male and female): > 1,306 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

### sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2.140 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2.340 mg/kg

### sodium toluenesulphonate:

Acute oral toxicity : LD50 (Rat): 6.500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

### dipotassium peroxodisulphate:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute toxicity estimate: 700 mg/kg  
Method: Calculation method

Acute inhalation toxicity : LC0 (Rat): > 2,95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

### **dipentene:**

Acute oral toxicity : LD50 (Rat): 5.300 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Causes burns.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : no

##### **malic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **sulphamidic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

---

### **potassium hydrogensulphate:**

Assessment : Causes burns.

### **sodium toluenesulphonate:**

Species : Rabbit  
Result : Irritating to skin.

### **dipotassium peroxodisulphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

### **dipentene:**

Assessment : Irritating to skin.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.

#### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
GLP : yes

#### **malic acid:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

#### **sulphamidic acid:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

#### **sodium toluenesulphonate:**

Species : Rabbit  
Result : Irritating to eyes.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

---

### dipotassium peroxodisulphate:

Result : Irritating to eyes.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Exposure routes	: Inhalation
Species	: Mammal - species unspecified
Method	: Expert judgement
Result	: Does not cause respiratory sensitisation.

#### Components:

### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: yes

### malic acid:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.
GLP	: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### **sulphamidic acid:**

Result : Did not cause sensitisation on laboratory animals.

### **sodium toluenesulphonate:**

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

### **dipotassium peroxodisulphate:**

Exposure routes : Inhalation  
Species : Mammal - species unspecified  
Result : May cause sensitisation by inhalation.

Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

### **dipentene:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : May cause sensitisation by skin contact.

Species : Mouse  
Result : Causes sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Genotoxicity in vitro : Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive  
GLP: yes

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Result: positive  
GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse (male)  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative  
GLP: no

Test Type: dominant lethal test  
Species: Mouse (male)  
Application Route: Oral  
Result: negative  
GLP: no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

### sodium toluenesulphonate:

Genotoxicity in vitro : Remarks: No mutagenic effect.

### dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on foetal development : Remarks: No teratogenic or foetotoxic effects were found at all dose levels tested.

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Effects on fertility : Test Type: Three-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0 - 14 - 70 milligram per kilogram  
General Toxicity - Parent: NOAEL: 350 mg/kg body weight  
General Toxicity F1: NOAEL: 350 mg/kg body weight  
General Toxicity F2: NOAEL: 350 mg/kg body weight

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Fertility: NOAEL: 350 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.  
GLP: no  
Remarks: Test results on an analogous product

Effects on foetal development : Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Teratogenicity: NOAEL: 300 mg/kg body weight  
Result: No teratogenic effects  
GLP: no  
Remarks: Test results on an analogous product

### malic acid:

Effects on foetal development : Remarks: No known significant effects or critical hazards.

### STOT - single exposure

Not classified based on available information.

#### Components:

#### potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

#### dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female  
LOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Number of exposures : 7 days/week  
Method : OECD Test Guideline 407  
Remarks : Subacute toxicity

Species : Rat, male and female  
LOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Number of exposures : 7 days/week  
Method : OECD Test Guideline 408

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Remarks : Subchronic toxicity

### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 36 w
Number of exposures	: daily
GLP	: no
Remarks	: Subchronic toxicity

### **malic acid:**

Remarks : No known significant effects or critical hazards.

### **sodium toluenesulphonate:**

Species	: Rat
NOAEL	: 114 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Method	: OECD Test Guideline 408
Remarks	: Subchronic toxicity

### **Aspiration toxicity**

Not classified based on available information.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish	:	LC50 (Salmo salar (Atlantic salmon)): 24,6 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1 Remarks: Fresh water
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Fresh water
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Fresh water

##### Components:

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes Remarks: Fresh water
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes Remarks: Fresh water
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes Remarks: Fresh water  NOEC (Pseudokirchneriella subcapitata (microalgae)): 0,5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes Remarks: Fresh water

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,88 mg/l  
Exposure time: 96 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 235 mg/l  
Exposure time: 72 h  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: Fresh water
- EC10 (Pseudokirchneriella subcapitata (green algae)): 13,1 mg/l  
Exposure time: 72 h  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: Fresh water
- Toxicity to fish (Chronic toxicity) : NOEC: 0,23 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Analytical monitoring: yes  
Method: OECD Test Guideline 210  
GLP: no  
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: no  
Remarks: Fresh water
- malic acid:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (algae): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

### sulphamidic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71,6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

Toxicity to microorganisms : EC50 : > 200 mg/l  
End point: Respiration inhibition  
Exposure time: 3 h  
Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

GLP: yes  
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC:  $\geq 60$  mg/l  
Exposure time: 34 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 19 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **sodium toluenesulphonate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)):  $> 490$  mg/l  
Exposure time: 96 h  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)):  $> 318$  mg/l  
Exposure time: 48 h  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 245 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
Exposure time: 72 h  
Remarks: Fresh water

### **dipotassium peroxodisulphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76,3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83,7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### **dipentene:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,702 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Remarks: Fresh water

LC50 (*Oryzias latipes* (Japanese medaka)): 1,1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,7 mg/l  
Exposure time: 48 h  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1,6 mg/l  
Exposure time: 72 h

EC50 (*Selenastrum capricornutum* (green algae)): > 1,81 mg/l  
Exposure time: 96 h

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1,6 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,27 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

### 12.2 Persistence and degradability

#### Components:

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **malic acid:**

Biodegradability : Test Type: aerobic  
Result: Readily biodegradable.  
Biodegradation: 67,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **sulphamidic acid:**

Biodegradability : Result: The methods for determining the biological degradability

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

ity are not applicable to inorganic substances.

### **sodium toluenesulphonate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 - 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **dipotassium peroxodisulphate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

### **dipentene:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

## 12.3 Bioaccumulative potential

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Partition coefficient: n-octanol/water : log Pow: < 0,3  
Method: OECD Test Guideline 117

#### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Partition coefficient: n-octanol/water : log Pow: 1,4 (23 °C)  
Method: OECD Test Guideline 123

#### **malic acid:**

Partition coefficient: n-octanol/water : log Pow: -1,26

#### **sulphamidic acid:**

Partition coefficient: n-octanol/water : log Pow: -4,34

#### **dipentene:**

Partition coefficient: n-octanol/water : log Pow: 4,57

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Hazard and Handling Notes. : Not dangerous cargo.  
Irritating to skin.  
Keep dry.  
Risk of serious damage to eyes.  
Keep separated from foodstuffs.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors.	: Neither banned nor restricted
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### Full text of H-Statements

H226	: Flammable liquid and vapour.
H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H334	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Ox. Sol.	: Oxidizing solids
Resp. Sens.	: Respiratory sensitisation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
IS OEL	: Iceland. Regulation on occupational exposure limits.
IS OEL / TWA	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## VIRKON S

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2022
3.1	25.07.2022	203000015339	Country / Language: IS / 6N (EN)

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Chronic 3	H412

### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.