

INTERFLON acc. to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EC)

No. 1907/2006 (REACH), amended by 2020/878/EU

Interflon Grease OG

Version number: 7.3 Replaces version: 6:

Date of issue 2023-09-29

Revision: 2023-09-29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Interflon Grease OG Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Applications

cleaning agent lubricant

Details of the supplier of the safety data sheet 1.3

Interflon BV Belder 47 4704 RK Roosendaal Netherlands

Telephone: +31 (0)165 553911 e-mail: Service@Interflon.com Website: www.Interflon.com

e-mail (competent person)

msds.uk@interflon.com

1.4 **Emergency telephone number**

+31 (0)165 55 39 11 (Monday to Friday from 8:30am to 17:00pm).

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

- Signal word.

not required

not required - Pictograms

- Supplemental hazard information EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 Safety data sheet available on request.

2.3 Other hazards

Special danger of slipping by leaking/spilling product. There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Substance of Very High Concern (SVHC)

This product does not contain "Substances of Very High Concern" (SVHC) that are very dangerous to human health or the environment. (SVHC <0.1% (w / w) Regulation (EC) No. 1907/2006 (REACH), Article 57).

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Product description

Mixture of mineral and vegetable oils, thickener, additives and Micpol®

Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Dilithium azelate	CAS No 38900-29-7	1 - < 5	Acute Tox. 4 / H302	
	EC No 254-184-4			
benzeenamine, N-fenyl-, re- actieprodukten met 2,4,4-tri- methylpenteen	CAS No 68411-46-1	< 1	Repr. 2 / H361 Aquatic Chronic 3 / H412	
menypencen	EC No 270-128-1			
C14-16-18 Alkyl phenol	CAS No 1190625-94-5	< 1	Skin Sens. 1B / H317 STOT RE 2 / H373	
	EC No 931-468-2			

Concentration limit, M-Factor, ATE

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Dilithium azelate	-	-	500 ^{mg} / _{kg}	oral

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get medical advice/attention if you feel unwell.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist, Fire extinguishing powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a well-ventilated place.

Managing of associated risks

- Flammability hazards

Keep in a cool place.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dilithium azelate	38900-29-7	DNEL	13.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic el fects
Dilithium azelate	38900-29-7	DNEL	13.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	DNEL	0.31 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef fects
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	DNEL	0.44 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef fects
C14-16-18 Alkyl phen- ol	1190625-94-5	DNEL	1.17 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef fects
C14-16-18 Alkyl phen- ol	1190625-94-5	DNEL	0.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic el fects



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6)

date of issue 2023-09-29

Revision: 2023-09-29

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Dilithium azelate	38900-29-7	PNEC	0.023 ^{mg} / _l	aquatic organisms	freshwater	short-term (single ir stance)
Dilithium azelate	38900-29-7	PNEC	0.002 ^{mg} / _l	aquatic organisms	marine water	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	0.034 ^{mg} / _l	aquatic organisms	freshwater	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	0.003 ^{mg} / _l	aquatic organisms	marine water	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	0.446 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	0.045 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single ir stance)
benzeenamine, N- fenyl-, reactieproduk- ten met 2,4,4-tri- methylpenteen	68411-46-1	PNEC	17.6 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	0.01 ^{mg} / _l	aquatic organisms	marine water	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	4,266 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	426.6 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single ir stance)
C14-16-18 Alkyl phen- ol	1190625-94-5	PNEC	852.6 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single ir stance)

8.2 **Exposure controls**

General safety precautions

Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Wash hands after use.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

Individual protection measures (personal protective equipment)

Eye/face protection

Not applicable.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Type of material. NBR: acrylonitrile-butadiene rubber.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid (paste)
Colour	light brown
Odour	Like oil
Melting point/freezing point	>400 °C at 101,325 Pa
Boiling point or initial boiling point and boiling range	>400 °C at 101 kPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined not applicable
Auto-ignition temperature	
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

Vapour pressure	<0.1 hPa at 20 °C

Density and/or relative density

Density	0.96 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Strong oxidisers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance CAS No Exposure route ATE				
Dilithium azelate	38900-29-7	oral	500 ^{mg} / _{kg}	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Ready biodegradability.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-self.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 **UN number or ID number** not subject to transport regulations 14.2 UN proper shipping name not relevant 14.3 Transport hazard class(es) none 14.4 Packing group not assigned **Environmental hazards** 14.5 non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/1	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the applica- tion of lower and upper-tier requirements	Notes			
	not assigned					



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

Industrial Emissions Directive (IED)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
benzeenamine, N-fenyl-, reactieprodukten met 2,4,4-trimethylpenteen		a)	
Dilithium azelate		a)	

Legend A)

_____ Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
benzeenamine, N-fenyl-, reactieprodukten met 2,4,4-trimethylpenteen	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed

Legend AIIC

Australian Inventory of Industrial Chemicals

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29

Revision: 2023-09-29

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative



acc. to Regulation (EC) No. 1907/2006 (REACH)

Interflon Grease OG

Version number: 7.3 Replaces version of: 2021-03-12 (6) date of issue 2023-09-29 Revision: 2023-09-29

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.