




# DRUM SPILL PALLETS





# DRUM SPILL PALLETS

## POLYETHYLENE PALLETS

- All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater).
- All models have removable grids for easy access when the sump needs cleaning.
- All models are covered by the Romold® 3 year guarantee.



Read our Polyethylene Chemical Compatibility Guide on PAGE 47



### BP1



### BP2

### BP2FW



### BP2R



**MANUFACTURED FROM RECYCLED POLYETHYLENE**



### BP3

Updated grid structure for improved durability



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP1	900 x 700 x 525mm	Y	225ltr	Standard	22kg
BP2	1220 x 820 x 330mm	Y	240ltr	Standard	23kg
BP2FW	1220 x 820 x 450mm	Y	230ltr	Standard	27kg
BP2R	1220 x 820 x 330mm	N	240ltr	Standard	23kg
BP3	1785 x 780 x 240mm	N	228ltr	Standard	30kg



## BP4L



## BP4FW

BP4FW has fork lift access from all four sides



## BFR4



For use with drum spill pallet BP4FW



## BP4LR

**MANUFACTURED FROM RECYCLED POLYETHYLENE**



BP4L and BP4LR are only 275mm high for easier loading and unloading



## BP4



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP4	1310 x 1310 x 370mm	Y	410ltr	Standard	44kg
BP4L	1280 x 1285 x 275mm	Y	230ltr	Standard	29kg
BP4FW	1220 x 1220 x 390mm	Y	250ltr	Standard	40kg
CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	WEIGHT	
BP4LR	1280 x 1285 x 275mm	N	230ltr	29kg	
CODE	SIZE (LxWxH)	UDL		WEIGHT	
BFR3	1740 x 1000 x 275mm	1000kg		33kg	
BFR4	1740 x 1000 x 390mm	1000kg		36kg	



# DRUM SPILL PALLETS

## BP8C



## BP4XL



## BP8



All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater)

All models have removable grids for easy access when the sump needs cleaning

Model BP8FW has fork lift access from all four sides

## BP8FW



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP4XL	1220 x 1220 x 495mm	N	440ltr	Standard	42kg
BP8	2560 x 1350 x 510mm	Y	1140ltr	Standard	116kg
BP8C	2560 x 1350 x 2140mm	N	1140ltr	Standard	156kg
BP8FW	2340 x 1225 x 610mm	Y	1150ltr	Standard	91kg



For use with BP2HCH,  
BP4 and BP4HC

## BFR5



## BP2HCS

BP4HCS has a fully powder coat painted (inside and out) steel cover which makes it extremely durable and provides excellent compatibility with most liquids

The hinged, lockable doors are fitted with door stays to hold them securely when loading and unloading



## BP2HC

BP2HC is for use with up to 2 x 205ltr drums while BP2HCS is for the safe storage of smaller containers and comes complete with a small shelf unit



## BP4C

A low cost solution when you need to store drums outdoors

## BP4HC



## BP4HCS



CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	
BP2HC	1490 x 990 x 1690mm	230ltr	Standard	85kg	
BP2HCH	1490 x 990 x 1690mm	230ltr	Standard	98kg	
BP4C	1415 x 1310 x 1870mm	410ltr	Standard	54kg	
BP4HC	1470 x 1420 x 2070mm	410ltr	Standard	121kg	
CODE	SIZE (LxWxH)	UDL	POLY MESH FLOOR	WEIGHT	
BFR5	1740 x 1000 x 370mm	1000kg	-	38kg	
CODE	SIZE (LxWxH)	DOOR APERTURE (HxW)	SUMP CAPACITY	WEIGHT	UDL
BP2HCS	1490 x 990 x 1690mm	1045 x 1335mm	230ltr	90kg	650kg
BP4HCS	1480 x 1385 x 1865mm	1390 x 1225mm	410ltr	221kg	1250kg



# DRUM SPILL PALLETS

## GALVANISED PALLETS

- Robust galvanised steel for use when you have compatibility issues with polyethylene.
- Ideal for use in areas where heat might be an issue, such as in foundries and for when you have to load and unload the spill pallet on numerous occasions a day.
- Fork hoops keep the underside of the sump out of contact with the floor and make it easy for the forklift truck to lift and transport the unit (should never be moved with drums in situ).



GSP2D

**IDEAL FOR:**

- FOOD INDUSTRY
- EQUESTRIAN
- AGRI-INDUSTRIES
- FACILITIES MANAGEMENT
- CONSTRUCTION INDUSTRY
- CHEMICAL INDUSTRY



GSP4D



CODE	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT
GSP2D	1220 x 815 x 393mm	226ltr	600kg	51kg
GSP4D	1220 x 1220 x 463mm	440ltr	900kg	82kg



# GUIDES & MORE







# FORKLIFT POCKET DIMENSIONS

At Romold, we aim to make your job as simple as possible. As an international supplier of spill pallets, we appreciate that forklift access pocket dimensions across the globe differ.


This handy guide provides the information you need to ensure your customers get the correct spill pallet to suit their fork lift or pallet truck.




**BP2**




**BP4**




**BP4L**




**BB1**




**BB2**




**FW**




**BB1D**




**BP4XL**




**GRITBIN**



**PSB1**



**PSB2**



**PSB3**

Please note: the FW measurements refer to models BP2FW, BP4FW, BP8FW, BB1FW and BB2FW.

# POLYETHYLENE CHEMICAL COMPATIBILITY CHART



Acetaldehyde 40%	Butanol	Fluosilicic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.so	MowliithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.so	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.CO2)	Glycolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite 10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Bifluoride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chloroacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.so	Citric Acid 25%	Hydrochloric Acid 36%	Phthalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phthalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.so	Copper Cyanide	Hydrofluorisilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.so	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprophate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethylene Chlorohydrin	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Magnesium Oxide	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Ethylene Glycol	Potassium Sulphate	Wetting Agents	White Acid 75%
Benzoic Acid	Ferric Chloride sat.sol	Magnesium Sulphate	Propanol	Yeast sol
Benzyl Alcohol	Ferric Nitrate sat.sol	Maleic Acid	Propargyl Alcohol 7%	Zinc Bromide sat.sol
Benzyl Chloroformate	Ferric Salts	Malic Acid 1%	Propionic Acid 50%	Zinc Chloride sat.sol
Boric Acid Dilute	Ferric Sulphate sat.sol	Mercury	Propyl Alcohol	Zinc Sulphate
Boric Acid Conc	Ferrous Sulphate	Methanol	Propylene Dichloride	
Butadiene	Fluoboric Acid	Methyl Acetate	Propylene Glycol	
Butanediol		Methyl Alcohol	Propylene Oxide	



# TOP TEN BESTSELLERS



**ST20**  
Page 24  
Spill Tray - 22ltr sump



**BP4L**  
Page 15  
Low Profile Sump  
Pallet - 230ltr sump



**BB2**  
Page 9  
Spill Pallet for 2 IBCs  
- 1140ltr sump



**BF2**  
Page 21  
Sump Floor for 2  
drums - 130ltr sump



**BP2FW**  
Page 14  
Sump Pallet for 2  
drums with 4-way entry  
- 230ltr sump




**BP2**  
Page 14  
Sump Pallet for 2 drums  
- 240ltr sump



**BP4LR**  
Page 15  
Recycled Low Profile  
Sump Pallet - 230ltr  
sump



**BP4FW**  
Page 15  
Sump Pallet for 4 drums  
with 4-way entry - 250ltr  
sump



**BF4**  
Page 21  
Sump Floor for 4 drums  
- 300ltr sump



**BB1**  
Page 8  
Sump Pallet for 1 IBC  
- 1100ltr sump



ROMOLD

TO FIND OUT MORE



## Conditions Applicable

1.1 These Conditions of Sale apply to all contracts for the supply of Goods or Service by Romold Ltd to you to the exclusion of all other terms and conditions. Any order from you gives rise to a binding contract with us only when we have notified you in writing that the order is accepted or when we have made delivery of the Goods to you (if sooner).

## Specifications

2.1 All illustrations and specifications are given as a general idea of the Goods described and do not form part of a contract. We reserve the right to incorporate changes or make substitutions without prior notice. Dimensions may vary by +2%

## Prices

3.1 Prices quoted on the Romold Product Price List exclude Delivery and Value Added Tax where applicable unless specifically stated otherwise. Every effort is made to charge the prices set out in the most current Product and Delivery (UK only) Price Lists; however we reserve the right to increase the price payable for Goods or Delivery without prior notice.

## Delivery

4.1 Delivery dates are estimated only and we shall not be liable for any loss or damage resulting from any delay. In particular we shall not be liable for any matter which results from an act of god, war or riot, extreme weather, strikes or any other events which are beyond our control.

4.2 We reserve the right to deliver Goods by instalments, each instalment being treated as a separate contract.

4.3 Risk in Goods will pass to you on delivery and you should insure accordingly.

4.4 Goods will be delivered at the point most convenient to our carrier. Further transfer at your or your customer's premises, particularly for large or heavy items, must be arranged prior to delivery and will be charged extra.

## Claims

5.1 Claims for loss or non-delivery of Goods, damage, short delivery or non-compliance with descriptions must be notified in writing to us and the carrier as provided in the delivery note and in any event within 5 days of the delivery date. Original packaging must be returned with any damaged Goods. Claims will only be considered if these conditions are met. Our liability shall be limited to replacement free of charge or refund of the proportion of the price attributable to Goods undelivered or damaged at our option.

5.2 Goods are not sold for any particular purpose. We shall not be liable to you for any indirect or consequential loss arising out of or in connection with the sale of Goods to you.

## Payment

6.1 Credit accounts are opened subject to status and are due strictly on 30 days from invoice date terms; otherwise payment is required with order. No set-off is permitted for any reason.

6.2 Where only part of the Goods ordered is dispatched, payment shall be made of the contract price attributed to that part.

6.3 Payment by cheque shall be treated as received once your cheque has cleared. In the case of late payment we reserve the right to charge interest at the daily rate of 4% per annum above the base rate of National Westminster Bank PLC both before and after judgment.

6.4 If any payment falls into arrears or you are the subject of any insolvency or related proceedings you must immediately notify us and we will have the right to cancel or postpone any contract, wholly or in part, and to be paid immediately for performance or part performance of any contract date.

## Ownership of Goods

You will own Goods only once we have received payment in full of all sums owed by you. Until such time you must keep such Goods separate from your property, clearly identified as our property, and insured to their full reinstatement value. The proceeds of any insurance claim will belong to us. In the circumstances set out in clause 6.4 you shall allow us to enter your premises at any time in normal business hours to recover and/or resell Goods.

## Cancellation and Return of Goods

8.1 You may only cancel a Contract with our prior consent and on the basis that you will indemnify us against any costs or consequent losses.

8.2 The return of Goods will not be accepted for any reason without prior consent and you will pay any consequential costs.

## Warranty

Goods manufactured by Romold Ltd come with a 3 year guarantee against manufacturing defect only.

## General Law

These conditions and any contract between us shall be subject to and construed in accordance with English law.

## Acceptance of Terms of Business

On commencement of trade with Romold Limited the above terms of business become effective between both parties.



**ROMOLD LTD<sup>®</sup>**  
specialist manufacturers of spill containment solutions



CONTACT YOUR LOCAL DISTRIBUTOR