




CABINETS



ROMOLD CABINETS



CABINETS

PSC1

Easy to clean



STORAGE SOLUTIONS

- A 5 model range of versatile cabinets all fitted with removable shelves.
- Models PSC1 and PSC2 have single locks. PSC3, PSC4 and PSC5 are fitted with twin lock doors.
- Each rotationally moulded cabinet is fitted with a sump as standard.



Read our Polyethylene Chemical Compatibility Guide on PAGE 47

PSC2



PSC3



PSC4



PSC5



CODE	SIZE (LxWxH)	SUMP CAPACITY	SHELF UDL	WEIGHT
PSC1	534 x 420 x 990mm	30ltr	12kg	15kg
PSC2	650 x 570 x 1650mm	70ltr	52kg	44kg
PSC3	920 x 720 x 1835mm	225ltr	Base Pal UDL: 300kg	50kg
PSC4	920 x 720 x 1835mm	225ltr		60kg
PSC5	920 x 740 x 1520mm	100ltr		55kg



PWS



USE TO HOLD:

- SPILL RESPONSE ABSORBENTS
- SMALL CONTAINERS OF LIQUID
- TOOLS & MAINTENANCE ITEMS
- PPE EQUIPMENT
- JANITORIAL SUPPLIES
- FIRST AID EQUIPMENT



WORK STANDS

- 4 models all fitted with removable shelves with built-in sumps (8ltr).
- Models PWSD and PDSD are fitted with lockable doors.
- Models PWS and PDS are open fronted.
- Models PDS and PDSD can accommodate absorbent rolls up to 550mmØ x 520mm W.

PWSD



PDS



Removable internal tray

PDSD



Galvanised steel tube roll holder



CODE	SIZE (LxWxH)	TOP SUMP	SHELF SUMP	BASE SUMP	WEIGHT
PWS	640 x 580 x 980mm	18ltr	8ltr	48ltr	20kg
PWSD	640 x 580 x 980mm	18ltr	8ltr	48ltr	23kg
PDS	640 x 580 x 1180mm	-	8ltr	48ltr	20kg
PDSD	640 x 580 x 1180mm	-	8ltr	48ltr	23kg



CABINETS

POLY MAINTENANCE

- Model PC has been designed as a mobile dispensing cart for loose absorbent material, or for dispensing rock salt from.
- The unit has a large 60ltr storage area and stowage facilities for a brush, shovel and disposal bags (these items are not included).
- Model PWC4 comes complete with a removable shelf with built in sump (8ltr), a lockable door, two large fixed wheels and two swivel (lockable) castors making it ideal for a range of applications.



PC

Brush and shovel not included



IDEAL FOR:

- AS USE AS A SPILL RESPONSE CART
- CARRYING MAINTENANCE TOOLS AND EQUIPMENT
- MOVING SMALL CONTAINERS OF LIQUID FROM AREA TO AREA SAFELY AND SECURELY



Easy to clean

PWC4



CODE	SIZE (LxWxH)	CAPACITY	WEIGHT
PC	1360 x 710 x 965mm	60ltr	38kg
PWC4	640 x 725 x 1075mm	45ltr	27kg



USE TO HOLD:

- SPILL RESPONSE ABSORBENTS
- SMALL CONTAINERS OF LIQUID
- TOOLS & MAINTENANCE ITEMS
- PPE EQUIPMENT
- JANITORIAL SUPPLIES



PMCS4

Easily access spill kit items



PMCXL4



Read our Polyethylene Chemical Compatibility Guide on PAGE 47

POLY ROLL HOLDERS

- Both models come complete with built-in absorbent roll holders with hinged lids.
- PMCS4 will accommodate a roll up to 430mmØ x 500mm W.
- PMCXL4 will accommodate a roll up to 550mmØ x 520mm W.
- Both models are supplied with a removable shelf with built-in sump (8ltr) and are fitted with a lockable door.

PRHXL



Absorbent roll holder PRHXL accommodates rolls up to 550mmØ x 520mm W and can be used as a stand-alone item or in conjunction with model PWC4.


CODE	SIZE (LxWxH)	MAX ROLL (Ø x W)	WEIGHT
PMCS4	640 x 725 x 1520mm	430mm x 500mm	34kg
PMCXL4	650 x 725 x 1550mm	550mm x 520mm	37kg

ROLL HOLDER				
CODE	SIZE (LxWxH)	SUMP CAPACITY	MAX ROLL (Ø x W)	WEIGHT
PRHXL	640 x 635 x 615mm	45ltr	550mm x 520mm	11kg

NEW FROM ROMOLD THE PARTNER MARKETING PORTAL

As part of our partnership with you, we offer a first class marketing support service called the Partner Marketing Portal. This provides you with access to exclusive marketing resources including; images, technical data sheets, product videos, marketing literature and other materials.

We want to help you successfully promote our products to your customers and provide them with a first class service. If you can't find what you are looking for, contact us and we will do our very best to accommodate your request.



EASY TO USE
NAVIGATION



ADVANCED SEARCH
FUNCTIONALITY



ACCESS FAVOURITE
ASSETS EASILY



HIGH RESOLUTION
IMAGERY



LATEST PRODUCT
DATA SHEETS



VIDEOS

CONTACT THE TEAM TODAY FOR ACCESS
ENQUIRIES@ROMOLD.CO.UK



GUIDES & MORE




ROMOLD DOWNLOADS




FORKLIFT POCKET DIMENSIONS

At Romold, we aim to make your job as simple as possible. As an international supplier of spill pallets, we appreciate that forklift access pocket dimensions across the globe differ.


This handy guide provides the information you need to ensure your customers get the correct spill pallet to suit their fork lift or pallet truck.




BP2




BP4




BP4L




BB1




BB2




FW




BB1D




BP4XL




GRITBIN



PSB1



PSB2



PSB3

Please note: the FW measurements refer to models BP2FW, BP4FW, BP8FW, BB1FW and BB2FW.

POLYETHYLENE CHEMICAL COMPATIBILITY CHART



Acetaldehyde 40%	Butanol	Fluosilicic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.so	MowliithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.so	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.CO2)	Glycolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite 10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Bifluoride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chloroacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.so	Citric Acid 25%	Hydrochloric Acid 36%	Phthalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phthalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.so	Copper Cyanide	Hydrofluorasilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.so	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprophate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethylene Chlorohydrin	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Magnesium Oxide	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Ethylene Glycol	Potassium Sulphate	Wetting Agents	White Acid 75%
Benzoic Acid	Ferric Chloride sat.sol	Magnesium Sulphate	Propanol	Yeast sol
Benzyl Alcohol	Ferric Nitrate sat.sol	Maleic Acid	Propargyl Alcohol 7%	Zinc Bromide sat.sol
Benzyl Chloroformate	Ferric Salts	Malic Acid 1%	Propionic Acid 50%	Zinc Chloride sat.sol
Boric Acid Dilute	Ferric Sulphate sat.sol	Mercury	Propyl Alcohol	Zinc Sulphate
Boric Acid Conc	Ferrous Sulphate	Methanol	Propylene Dichloride	
Butadiene	Fluoboric Acid	Methyl Acetate	Propylene Glycol	
Butanediol		Methyl Alcohol	Propylene Oxide	



TOP TEN BESTSELLERS



ST20

Page 24

Spill Tray - 22ltr sump



BP4L

Page 15

Low Profile Sump
Pallet - 230ltr sump



BB2

Page 9

Spill Pallet for 2 IBCs
- 1140ltr sump



BF2

Page 21

Sump Floor for 2
drums - 130ltr sump



BP2FW

Page 14

Sump Pallet for 2
drums with 4-way entry
- 230ltr sump



BP2

Page 14

Sump Pallet for 2 drums
- 240ltr sump



BP4LR

Page 15


Recycled Low Profile
Sump Pallet - 230ltr
sump



BP4FW

Page 15

Sump Pallet for 4 drums
with 4-way entry - 250ltr
sump



BF4

Page 21

Sump Floor for 4 drums
- 300ltr sump



BB1

Page 8

Sump Pallet for 1 IBC
- 1100ltr sump



ROMOLD

TO FIND OUT MORE



Conditions Applicable

1.1 These Conditions of Sale apply to all contracts for the supply of Goods or Service by Romold Ltd to you to the exclusion of all other terms and conditions. Any order from you gives rise to a binding contract with us only when we have notified you in writing that the order is accepted or when we have made delivery of the Goods to you (if sooner).

Specifications

2.1 All illustrations and specifications are given as a general idea of the Goods described and do not form part of a contract. We reserve the right to incorporate changes or make substitutions without prior notice. Dimensions may vary by +-2%

Prices

3.1 Prices quoted on the Romold Product Price List exclude Delivery and Value Added Tax where applicable unless specifically stated otherwise. Every effort is made to charge the prices set out in the most current Product and Delivery (UK only) Price Lists; however we reserve the right to increase the price payable for Goods or Delivery without prior notice.

Delivery

4.1 Delivery dates are estimated only and we shall not be liable for any loss or damage resulting from any delay. In particular we shall not be liable for any matter which results from an act of god, war or riot, extreme weather, strikes or any other events which are beyond our control.

4.2 We reserve the right to deliver Goods by instalments, each instalment being treated as a separate contract.

4.3 Risk in Goods will pass to you on delivery and you should insure accordingly.

4.4 Goods will be delivered at the point most convenient to our carrier. Further transfer at your or your customer's premises, particularly for large or heavy items, must be arranged prior to delivery and will be charged extra.

Claims

5.1 Claims for loss or non-delivery of Goods, damage, short delivery or non-compliance with descriptions must be notified in writing to us and the carrier as provided in the delivery note and in any event within 5 days of the delivery date. Original packaging must be returned with any damaged Goods. Claims will only be considered if these conditions are met. Our liability shall be limited to replacement free of charge or refund of the proportion of the price attributable to Goods undelivered or damaged at our option.

5.2 Goods are not sold for any particular purpose. We shall not be liable to you for any indirect or consequential loss arising out of or in connection with the sale of Goods to you.

Payment

6.1 Credit accounts are opened subject to status and are due strictly on 30 days from invoice date terms; otherwise payment is required with order. No set-off is permitted for any reason.

6.2 Where only part of the Goods ordered is dispatched, payment shall be made of the contract price attributed to that part.

6.3 Payment by cheque shall be treated as received once your cheque has cleared. In the case of late payment we reserve the right to charge interest at the daily rate of 4% per annum above the base rate of National Westminster Bank PLC both before and after judgment.

6.4 If any payment falls into arrears or you are the subject of any insolvency or related proceedings you must immediately notify us and we will have the right to cancel or postpone any contract, wholly or in part, and to be paid immediately for performance or part performance of any contract date.

Ownership of Goods

You will own Goods only once we have received payment in full of all sums owed by you. Until such time you must keep such Goods separate from your property, clearly identified as our property, and insured to their full reinstatement value. The proceeds of any insurance claim will belong to us. In the circumstances set out in clause 6.4 you shall allow us to enter your premises at any time in normal business hours to recover and/or resell Goods.

Cancellation and Return of Goods

8.1 You may only cancel a Contract with our prior consent and on the basis that you will indemnify us against any costs or consequent losses.

8.2 The return of Goods will not be accepted for any reason without prior consent and you will pay any consequential costs.

Warranty

Goods manufactured by Romold Ltd come with a 3 year guarantee against manufacturing defect only.

General Law

These conditions and any contract between us shall be subject to and construed in accordance with English law.

Acceptance of Terms of Business

On commencement of trade with Romold Limited the above terms of business become effective between both parties.



ROMOLD LTD®
specialist manufacturers of spill containment solutions



CONTACT YOUR LOCAL DISTRIBUTOR