Oxivit Aktiv Plus

Use biocides safely. Always read the label and product information before use.

PRODUCT TYPE Disinfectant based on peracetic acid

APPLICATION Oxivit Aktiv Plus is used for disinfection of surfaces and

equipment in the food industry, agriculture and

transport sector.

PROPERTIES Oxivit Aktiv Plus is a broad spectrum, quick-acting

disinfectant containing 5% peracetic acid, and surfactant that increases the wetting of the surfaces, thereby ensuring effective disinfection of even rough

surfaces

Is effective at low temperatures and can therefore be

used in cold water.

Biocidal efficacy: Bactericidal, yeasticidal, fungicidal,

sporicidal and virucidal.

STORAGE Store in tightly closed original container in a dry, cool

and well-ventilated place.

Keep away from food, drink and animal feeding stuffs. Store separated from: Chlorine containing products. Oxidising material - Keep away from flammable and

combustible materials.

Storage: -10 - 30 °C

Durability: 24 months.

APPROVAL The product is included in the European Biocidal

Products Regulation.

For professional users only.

SAFETY Please refer to the label and safety data sheet for

information on safe use, handling and transport of the $% \left\{ \left(1\right) \right\} =\left\{ \left(1\right) \right\}$

product.

This product is covered by REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors. Purchasing the product requires submission of a statement to the supplier.

ECOLOGICAL INFO. Product is very toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic environment. Large amounts of the product may affect the acidity (pH-factor) in water with possible risk of harmful

effects to aquatic organisms.

The product is easily biodegradable.

The product is water soluble and may spread in water

systems

No evidence for endocrine disrupting properties. **DISPOSAL**Do not empty into drains; dispose of this material and

its container at hazardous or special waste collection

point. Dispose of waste and residues in accordance

with local authority requirements.

The packaging must not be recycled.

PACKAGING Plastic jerrican 10 L, 20 L
Plastic drum 200 L

EN Last updated: 24.03.2021



INSTRUCTIONS AND DOSAGE

Dosage: 0,15 - 7,5%
Temperature: 4-40°C.
Contact time: 5-15 minutes.

Crate/box washing:

Depending on machine and application a satisfactory effect can be achieved at shorter

contact time.

Contact your Novadan consultant for further instructions about dosage and directions for use. After disinfection, all surfaces which come into contact with food must be rinsed with clean water.

PRODUCTDATA

Colour Colourless.

Physical state Liquid.

Odour Characteristic.

Slightly pungent

odour.
Bulk density 1.10

pH In delivery state \sim 1,0 In aqueous solution 1 % \sim 4,0 In aqueous solution 0,2 % \sim 6,0

TITRATION

Take out 10 ml of the solution for use. Add ca 5 ml of 25% sulphuric acid.

Titrate with 0.1 N potassium permanganate until red colour. Titrate slowly (a few drops at a time) until reaction starts.

Concentration = Used ml potassium

permanganate x factor.

Factor (w/w %): 0,07 (v/v %): 0,06

Use biocides safely. Always read the label and product information before use.

DK: Platinvej 21, DK-6000 Kolding Tlf: +45 76 348 400

